



# TRAILER SPECIFICATION SHEET

GET MORE | GO FURTHER

## 7' Wide Models V-Nose/Flat Top

## SERIES TSV Transport



### Transport

The TSV is Haulmark's most popular trailer model. It's easy to see why -- stylish, rugged, loaded with standard features, and a breeze to tow. Whether for fun or for work (or both), the TSV is packed with value from hitch to tail light.

The Haulmark Transport V-Nose model features a flat roof and tapered "V" nose for added interior storage and improved towing.

### STANDARD FEATURES

- V-Nose/Flat Roof
- Cast Aluminum Rear Corner Caps
- One-Piece Aluminum Roof
- .030 Prefinished Aluminum Exterior
- 24" ATP Stoneguard
- Pass-Thru Side Door with Flush Lock & Dead Bolt
- 12V Dome Lights (2) with Wall Switch
- LED Oval Tail Lights
- 16" OC Vertical Posts
- 24" OC Roof Bows
- 24" OC Floor Crossmembers
- Fold-Down Rear Stabilizer Jacks
- Entire Chassis Undercoated
- Spring Suspension (4" Drop) with E-Z Lube Hubs
- Breakaway Kit (Tandem models only)
- 15" Radial Tires with White Spoke Wheels
- Smooth Aluminum Fenders:
  - Jeep Style (Single Axle)
  - Flare Style (Tandem Axles)
- Sidewall Liner: 5.2 mm Lauan (Single Axle) / 3/8" Plywood (Tandem Axles)
- 3/4" Plywood Decking (Exterior Moisture Barrier Applied)
- SureWire: Improved wire connections & secure routing (Reduces Electrical Shorts)
- 3-Year Limited Warranty



# TSV

# Haulmark®

## SPECIFICATIONS

GET MORE | GO FURTHER

### Transport - V-Nose/Flat Top - 7' wide models

MODEL		TSTV7X12WS2	TSTV7X12WT2	TSTV7X14WT2	TSTV7X16WT2
<b>Body:</b>	<b>Length</b>	13'7"	13'7"	15'7"	17'7"
	<b>Width</b>	7'	7'	7'	7'
<b>Overall:</b>	<b>Length</b>	15'8"	15'8"	17'8"	19'8"
	<b>Width</b>	102"	102"	102"	102"
	<b>Height</b>	99"	99"	99"	99"
<b>Interior:</b>	<b>Length</b>	13'3"	13'3"	15'3"	17'3"
	<b>Width</b>	80"	80"	80"	80"
	<b>Height</b>	78"	78"	78"	78"
	<b>Platform Height</b>	19"	19"	19"	19"
<b>Axle:</b>	<b>Quantity</b>	Single	Tandem	Tandem	Tandem
	<b>Capacity (lbs.)</b>	3500	3500	3500	3500
	<b>Type</b>	4" Drop	4" Drop	4" Drop	4" Drop
	<b>Suspension</b>	Spring	Spring	Spring	Spring
	<b>Brakes</b>	Electric Drum	Electric Drum	Electric Drum	Electric Drum
<b>Tire:</b>	<b>Size</b>	ST205/75R15	ST205/75R15	ST205/75R15	ST205/75R15
	<b>Load Range</b>	C	C	C	C
	<b>Type</b>	Radial	Radial	Radial	Radial
	<b>Wheel</b>	White Spoke	White Spoke	White Spoke	White Spoke
<b>Hitch:</b>	<b>Ball Size</b>	2"	2 5/16"	2 5/16"	2 5/16"
	<b>To Top of Ball</b>	17"	17"	17"	17"
<b>Hitch Weight (% of Curb Weight)</b>		10% - 15%	10% - 15%	10% - 15%	10% - 15%
<b>Curb Weight (lbs.)</b>		1560	1975	2125	2275
<b>GVWR (lbs.)</b>		3500	7000	7000	7000
<b>Avg. Payload (lbs.)</b>		1940	5025	4875	4725
<b>Rear Door:</b>	<b>Style</b>	Double Doors	Double Doors	Double Doors	Double Doors
	<b>Width</b>	75"	75"	75"	75"
	<b>Height</b>	73"	73"	73"	73"
	<b>Lock Style</b>	Cam Lock	Cam Lock	Cam Lock	Cam Lock
<b>Side Door:</b>	<b>Width</b>	36"	36"	36"	36"
	<b>Height</b>	72"	72"	72"	72"
	<b>Lock Style</b>	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt
<b>Tube Main Rails</b>		2"x 4"	2"x 4"	2"x 4"	2"x 4"
<b>12V End Connector</b>		7-way	7-way	7-way	7-way
<b>ATP Stoneguard</b>		24"	24"	24"	24"
<b>Interior Sidewall Liner</b>		5.2 mm Lauan	3/8" Plywood	3/8" Plywood	3/8" Plywood
<b>Floor</b>		3/4" Plywood	3/4" Plywood	3/4" Plywood	3/4" Plywood

TSV



# SPECIFICATIONS

GET MORE | GO FURTHER

## Transport - V-Nose/Flat Top - 7' wide models



### POPULAR OPTIONS

- Adjustable Couplers
- Crossmember Spacing
- Extra Height
- 2,000lb or 3,000lb Tongue Jacks
- Dolly Wheel
- Center Draw Bar
- Extended A-Frame
- 15 Inch Tires
- Interior or Exterior Spare Tire Mount
- Wheel Accessories



### POPULAR PACKAGE

- Deluxe

Your authorized Haulmark dealer: